


# TWINLIGHT SWING

Swing has a unique and rich fabric texture, offered in a selection of timeless and classic colors. A contemporary style in alternating stripes that will compliment any urban design.

## TRANSLUCENT



### GENERAL INFORMATION

<b>Number of Colors</b>	10	
<b>Material Composition</b>	100% Polyester	
<b>Solid Size</b>	10 cm	3.94 in
<b>Sheer / Mesh Size</b>	7 cm	2.76 in
<b>Width</b>	280 cm	110.00 in
<b>Thickness (+/- 5%)</b>	0,38 mm	0.0150 in
<b>Weight (+/- 5%)</b>	130 gr/m <sup>2</sup>	3.83 oz/yd <sup>2</sup>
<b>Roll Length</b>	50 m	54.68 yd



### SPECIAL VALUES

<b>Color Fastness to Light</b>	> 4 (DIN ISO 105-B02)
<b>Finish</b>	Heat Setting
<b>PVC Free</b>	Yes
<b>Lead Free</b>	Yes
<b>Halogen Free</b>	Yes
<b>Formaldehyde Free</b>	Yes
<b>Phthalates Free</b>	Yes
<b>Flame Retardancy</b>	N/a
<b>Fungal Resistance</b>	N/a

<b>Humid Environment</b>	N/a
<b>Suitable for Workstations</b>	N/a
<b>Tensile Strength in Warp</b>	N/a
<b>Tensile Strength in Weft</b>	1400 N (ISO 13934-2)
<b>Tearing Strength in Warp</b>	2,1 N (ISO 13937-1)
<b>Tearing Strength in Weft</b>	5,1 N (ISO 13937-1)
<b>Manufacturing Procedure</b>	Ultrasonic Cut
<b>Care Instructions</b>	Damp Cloth

### SUITABLE FOR



Twinlight

### CARE & HANDLING

Remove dust with vacuum cleaner or compressed air. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge, soft brush or cloth. Leave the blind down until completely dry.

### LIGHT AND SOLAR PROPERTIES

Item Number	Color	EU Standard Tested to DIN EN 410						
		Rv	Tv	Av	TUV	Rs	Ts	As
ECW 280.001	White	56%	15%	29%	A:6.7% / B:0.2%	61%	18%	21%
ECW 280.002	Ivory	56%	15%	29%	A:6.7% / B:0.2%	61%	18%	21%
ECW 280.003	Petrol	52%	14%	34%	A:6.7% / B:0.2%	58%	17%	25%
ECW 280.004	Champagne	55%	14%	31%	A:6.7% / B:0.2%	61%	17%	22%
ECW 280.005	Olive	56%	19%	24%	A:6.7% / B:0.2%	58%	22%	21%
ECW 280.006	Dune	48%	13%	39%	A:6.7% / B:0.2%	52%	16%	32%
ECW 280.007	Purple	46%	16%	38%	A:6.7% / B:0.2%	53%	21%	26%
ECW 280.008	Pure Chocolate	51%	14%	35%	A:6.7% / B:0.2%	57%	17%	24%
ECW 280.009	Gray	53%	18%	29%	A:6.7% / B:0.2%	56%	21%	23%
ECW 280.010	Misty Blue	60%	20%	20%	A:6.7% / B:0.2%	58%	22%	20%


**Rv** = Light Reflection  
**Rs** = Solar Reflection

**Tv** = Light Transmittance  
**Ts** = Solar Transmittance

**Av** = Light Absorption  
**As** = Solar Absorption

**TUV** = Ultraviolet Transmittance

### COLORS



ECW 280.001  
White



ECW 280.002  
Ivory



ECW 280.003  
Petrol




ECW 280.004  
Champagne



ECW 280.005  
Olive



ECW 280.006  
Dune




ECW 280.007  
Purple



ECW 280.008  
Pure Chocolate



ECW 280.009  
Gray



ECW 280.010  
Misty Blue