

# SWING

Swing has a unique and rich fabric texture, offered in a selection of timeless and classic colors. A contemporary style that will compliment any urban design.

Swing possède une texture de tissu unique et riche, proposée dans une sélection de couleurs intemporelles et classiques. Un style contemporain qui s'harmonise avec n'importe quel design urbain.

## TRANSLUCENT



### GENERAL INFORMATION

<b>Number of Colors</b>	10	
<b>Material Composition</b>	100% Polyester	
<b>Width</b>	280 cm	110.00 in
<b>Thickness (+/- 5%)</b>	0,38 mm	0.0150 in
<b>Weight (+/- 5%)</b>	210 gr/m <sup>2</sup>	6.19 oz/yd <sup>2</sup>
<b>Roll Length</b>	40 m	43.74 yd



### SPECIAL VALUES

<b>Color Fastness to Light</b>	> 4 (DIN ISO 105-B02)
<b>Finish</b>	Heat Setting
<b>PVC Free</b>	Yes
<b>Lead Free</b>	Yes
<b>Halogen Free</b>	Yes
<b>Formaldehyde Free</b>	Yes
<b>Phthalates Free</b>	Yes
<b>Flame Retardancy</b>	N/a
<b>Fungal Resistance</b>	N/a

<b>Humid Environment</b>	N/a
<b>Suitable for Workstations</b>	N/a
<b>Sound Absorbtion</b>	N/a
<b>Tensile Strength in Warp</b>	N/a
<b>Tensile Strength in Weft</b>	1400 N (ISO 13934-2)
<b>Tearing Strength in Warp</b>	2,4 N (ISO 13937-1)
<b>Tearing Strength in Weft</b>	5,1 N (ISO 13937-1)
<b>Manufacturing Procedure</b>	Ultrasonic Cutting
<b>Care Instructions</b>	Damp Cloth

### SUITABLE FOR



Roller



Panel



Vertical

### CARE & HANDLING

Remove dust with vacuum cleaner or compressed air. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge, soft brush or cloth. Leave the blind down until completely dry.

## LIGHT AND SOLAR PROPERTIES

Item Number	Color	EU Standard Tested to DIN EN 410			
		TUV	Rs	Ts	As
65001	White	A:6.7% / B:0.2%	61%	18%	21%
65002	Ivory	A:6.7% / B:0.2%	61%	18%	21%
65003	Petrol	A:6.7% / B:0.2%	49%	14%	37%
65004	Champagne	A:6.7% / B:0.2%	61%	17%	33%
65005	Olive	A:6.7% / B:0.2%	53%	16%	31%
65006	Dune	A:6.7% / B:0.2%	52%	16%	32%
65007	Purple	A:6.7% / B:0.2%	47%	15%	38%
65008	Pure Chocolate	A:6.7% / B:0.2%	46%	12%	42%
65009	Gray	A:6.7% / B:0.2%	50%	14%	36%
65010	Misty Blue	A:6.7% / B:0.2%	57%	17%	26%


**Rs** = Solar Reflection

**Ts** = Solar Transmittance

**As** = Solar Absorbtion

**TUV** = Ultraviolet Transmittance

## COLORS



65001  
White



65002  
Ivory



65003  
Petrol



65004  
Champagne



65005  
Olive



65006  
Dune



65007  
Purple



65008  
Pure Chocolate



65009  
Gray



65010  
Misty Blue