

TRENTO

With soft appeal and elegant colors, Trento fabrics offer a contemporary look to a classic style, creating a feeling of comfort and relaxation. The light filtering effect allows light to enter the room, while protecting the privacy.

TRANSLUCENT



GENERAL INFORMATION

Number of Colors	12	
Material Composition	100% Polyester	
Width	280 cm	110 in
Thickness (+/- 5%)	0.35 mm	0.0138 in
Weight (+/- 5%)	190 gr/m ²	5.60 oz/yd ²
Roll Length	40 m	43.74 yd



SPECIAL VALUES

Color Fastness to Light	5+ (DIN ISO 105-B02)
Finish	Acrylic Coating
PVC Free	Yes
Lead Free	Yes
Halogen Free	Yes
Formaldehyde Free	Yes
Phthalates Free	Yes

Humid Environment	Yes
Tensile Strength in Warp	1400 N (ISO 13934-2)
Tensile Strength in Weft	920 N (ISO 13934-2)
Manufacturing Procedure	Cold Cut / Ultrasonic Cutting
Care Instructions	Damp Cloth

SUITABLE FOR



Roller



Panel



Vertical

CARE & HANDLING

Remove dust with vacuum cleaner or compressed air. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge, soft brush or cloth. Leave the blind down until completely dry.

Version 20250820



The technical data above are average values with a +/- 5% tolerance. The values quotes above represent results of standards and internal tests performed and are provided for information only to enable to make the best use of our products. Our products are subjects to technical evolutions, we remain entitled to modify the characteristics of our products at any time. Actual product color may vary slightly from colors shown on this technical data sheet.

THERMAL AND VISUAL PROPERTIES | DIN EN 410, EN ISO 52022-1, DIN EN 14501


Item Number	Color	Rs	Ts	As	Rv	Tv	Av	Tuv
67001	Ice White	56,25%	38,13%	5,62%	57,50%	38,31%	4,19%	21,80%
67002	White	57,62%	36,38%	6,00%	60,40%	37,45%	2,15%	11,00%
67003	Cream	54,65%	34,83%	10,52%	56,20%	34,88%	8,92%	9,30%
67004	Nougat	49,28%	31,52%	19,20%	45,00%	26,03%	28,97%	8,90%
67005	Drizzle	41,59%	24,42%	33,99%	24,10%	8,85%	67,05%	5,40%
67006	Light Gray	54,32%	30,28%	15,40%	53,20%	26,35%	20,45%	3,60%
67008	Dark Gray	35,13%	21,54%	43,33%	12,10%	2,76%	85,14%	3,10%
67009	Anthracite	27,57%	14,28%	58,15%	9,30%	1,22%	89,48%	1,30%
67010	Kemp	46,85%	28,83%	24,32%	38,50%	20,21%	41,29%	7,90%
67011	Olive	42,41%	24,66%	32,93%	26,90%	10,38%	62,72%	5,50%
67012	Mouse Gray	42,65%	25,48%	31,87%	25,70%	10,03%	64,27%	6,50%
67013	Moonstruck	47,37%	29,43%	23,20%	38,10%	19,95%	41,95%	8,00%

Rs = Solar Reflection **Tv** = Light Transmittance **Ts** = Solar Transmittance
Rv = Light Reflection **Av** = Light Absorption **As** = Solar Absorption
TUV = Ultraviolet Transmittance

Item Number	Color	Glass type C			Glass type E			Glass type F			Glass type G		
		U _g = 1,2 W/(m²K) g = 0,59			U _g = 0,8 W/(m²K) g = 0,55			U _g = 1.1 W/(m²K) g = 0,64			U _g = 1.0 W/(m²K) g = 0,33		
		Gtot	Gtot Class	Fc	Gtot	Gtot Class	Fc	Gtot	Gtot Class	Fc	Gtot	Gtot Class	Fc
67001	Ice White	0,3929	1	0,6660	0,3790	1	0,6892	0,4083	1	0,6380	0,2681	2	0,8126
67002	White	0,3881	1	0,6577	0,3748	1	0,6815	0,4026	1	0,6291	0,2666	2	0,8079
67003	Cream	0,3974	1	0,6735	0,3832	1	0,6967	0,4138	1	0,6465	0,2694	2	0,8163
67004	Nougat	0,4141	1	0,7019	0,3982	1	0,7240	0,4338	1	0,6778	0,2743	2	0,8312
67005	Drizzle	0,4375	1	0,7415	0,4193	1	0,7624	0,4620	1	0,7218	0,2811	2	0,8518
67006	Light Gray	0,3974	1	0,6736	0,3835	1	0,6972	0,4140	1	0,6469	0,2692	2	0,8158
67008	Dark Gray	0,4579	1	0,7761	0,4375	1	0,7955	0,4863	1	0,7598	0,2871	2	0,8701
67009	Anthracite	0,4808	1	0,8150	0,4583	1	0,8333	0,5139	0	0,8030	0,2938	2	0,8903
67010	Kemp	0,4214	1	0,7142	0,4048	1	0,7360	0,4426	1	0,6916	0,2764	2	0,8375
67011	Olive	0,4349	1	0,7371	0,4170	1	0,7582	0,4588	1	0,7169	0,2803	2	0,8494
67012	Mouse Gray	0,4343	1	0,7361	0,4164	1	0,7571	0,4581	1	0,7158	0,2802	2	0,8490
67013	Moonstruck	0,4198	1	0,7116	0,4034	1	0,7334	0,4407	1	0,6886	0,2759	2	0,8362

Gtot Value = The total transmission value of solar energy through a combination of window en sun protection
FC-Value = Reduction factor (from 0-1) of the fabric concerning solar energy
Glass type C = Double glazing, with low emissivity and argon cavity
Glass type E = Triple glazing with low emissivity and argon cavity
Glass type F = Double glazing with low-emissivity coating on position 3, with 90% argon-filled spacer
Glass type G = Solar control glazing with 90% argon-filled spacer


COLORS



67001
Ice White



67002
White



67003
Cream



67004
Nougat




67005
Drizzle



67006
Light Gray



67008
Dark Gray



67009
Anthracite




67010
Kemp



67011
Olive



67012
Mouse Gray



67013
Moonstruck

Scan the QR-code for more information



Trento

Version 20250820