


TRENTO


With the soft appeal and elegant colors, Trento fabrics offer a modern classic look creating a feeling of comfort and relaxation. The practical option of the blackout finish gives you the best control of daylight.

BLACKOUT WHITE BACKING



GENERAL INFORMATION

Number of Colors	12	
Material Composition	100% Polyester	
Width	280 cm	110.00 in
Thickness (+/- 5%)	0,55 mm	0.0217 in
Weight (+/- 5%)	350 gr/m ²	10.32 oz/yd ²
Roll Length	30 m	38.28 yd



SPECIAL VALUES

Color Fastness to Light	4 (DIN ISO 105-B02)
Finish	Acrylic Foam Coating
PVC Free	Yes
Lead Free	Yes
Halogen Free	Yes
Formaldehyde Free	Yes
Phthalates Free	Yes
Flame Retardancy	N/a
Fungal Resistance	N/a

Humid Environment	Yes
Suitable for Workstations	Yes
Tensile Strength in Warp	1500 N (ISO 13934-2)
Tensile Strength in Weft	940 N (ISO 13934-2)
Tearing Strength in Warp	N/a
Tearing Strength in Weft	N/a
Manufacturing Procedure	Cold Cut / Ultrasonic Cutting
Care Instructions	Damp Cloth

SUITABLE FOR



Roller



Panel



Vertical

CARE & HANDLING

Remove dust with vacuum cleaner or compressed air. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge, soft brush or cloth. Leave the blind down until completely dry.

LIGHT AND SOLAR PROPERTIES

Item Number	Color	EU Standard Tested to DIN EN 410							EU Standard Tested to DIN EN 13363-1		
		Rv	Tv	Av	TUV	Rs	Ts	As	Gtot Value	FC-Value	FC-Class
167001	Ice White	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167002	White	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167003	Cream	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167004	Nougat	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167005	Drizzle	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167006	Light Gray	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167008	Dark Gray	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167009	Anthracite	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167010	Kemp	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167011	Olive	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167012	Mouse Gray	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2
167013	Moonstruck	84%	0%	16%	0%	71%	0%	29%	0,34	0,46	2

Rv = Light Reflection

Tv = Light Transmittance

Av = Light Absorbion

Rs = Solar Reflection

Ts = Solar Transmittance


As = Solar Absorbion

TUV = Ultraviolet Transmittance


Gtot Value = The total transmission value of solar energy through a combination of window en sun protection

FC-Value = Reduction factor (from 0-1) of the fabric concerning solar energy

COLORS



167001
Ice White




167002
White



167003
Cream



167004
Nougat



167005
Drizzle



167006
Light Gray



167008
Dark Gray




167009
Anthracite



167010
Kemp



167011
Olive



167012
Mouse Gray



167013
Moonstruck