

VARESE

Turn your living space into a piece of art with the Varese collection. The special jacquard brush effect and clever use of color creates a sense of intensity and depth.

TRANSLUCENT



GENERAL INFORMATION

Number of Colors	5	
Material Composition	100% Polyester	
Width	280 cm	110.00 in
Thickness (+/- 5%)	0,48 mm	0.0189 in
Weight (+/- 5%)	265 gr/m ²	7.82 oz/yd ²
Roll Length	30 m	32.81 yd



SPECIAL VALUES

Color Fastness to Light	6 (DIN ISO 105-B02)
Finish	Heat Setting
PVC Free	Yes
Lead Free	Yes
Halogen Free	Yes
Formaldehyde Free	Yes
Phthalates Free	Yes
Flame Retardancy	N/a
Fungal Resistance	N/a

Humid Environment	No
Suitable for Workstations	No
Tensile Strength in Warp	N/a
Tensile Strength in Weft	1100 N (ISO 13934-2)
Tensile Strength in Weft	1500 N (ISO 13934-2)
Tearing Strength in Warp	35 N (ISO 13937-1)
Tearing Strength in Weft	67 N (ISO 13937-1)
Manufacturing Procedure	Cold Cut
Care Instructions	Damp Cloth

SUITABLE FOR



Roller



Panel

CARE & HANDLING

Remove dust with vacuum cleaner or compressed air. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge, soft brush or cloth. Leave the blind down until completely dry.

Version 20260326



LIGHT AND SOLAR PROPERTIES

Item Number	Color	EU Standard Tested to DIN EN 410						
		Rv	Tv	Av	TUV	Rs	Ts	As
75001	White	67%	16%	17%	6,4% / 8,8% / 0,6%	61%	20%	19%
75002	Ivory	70%	21%	10%	-	62%	19%	19%
75003	Cream	72%	20%	8%	-	63%	21%	16%
75004	Silver	66%	16%	18%	-	61%	20%	20%
75005	Gray	52%	16%	32%	-	57%	18%	25%

Rv = Light Reflection

Tv = Light Transmittance

Av = Light Absorbtion

TUV = Ultraviolet Transmittance

Rs = Solar Reflection

Ts = Solar Transmittance

As = Solar Absorbtion

COLORS



75001
White



75002
Ivory



75003
Cream



75004
Silver



75005
Gray